

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na <sub>2</sub> O+K <sub>2</sub> O	DT
50mm		4000kcal kg	25%	3.0 %	8%	2.5%	1350
		3000kcal kg	25%	4.5 %	---	2.5%	---

1.

3

1000

2

2024 4 29 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

Qnet. ar 4000 St. d 3.0% Vdaf 25% Na <sub>2</sub> O+k <sub>2</sub> O 2.5% Q. xxx /	1. 4000 Qnet. ar 3500 Kcal / 100 0.001 / . 2. 3500 Qnet. ar 3000 Kcal / 100 0.002 / 3. Qnet. ar 3000 Kcal / 100 0.005 / 4. 100 8000 < 12000 8000 0.02 / >12000 12000 0.03 /	1. 3.0%-St. d 3.5% St. d 0.1 2. 3.5%-St. d 4.0% St. d 0.1 3. St. d>4.0% St. d 0.1 5 4 : Vdaf >25% Vdaf 1 / . Na <sub>2</sub> O+K <sub>2</sub> O 2.5% 1. 2.5%-Na <sub>2</sub> O+k <sub>2</sub> O 3.5% 0.1 2 2. 3.5%-Na <sub>2</sub> O+k <sub>2</sub> O 4.5% 0.1 5 3. Na <sub>2</sub> O+k <sub>2</sub> O>4.5% 0.1 10	95-110% 90% <95% -0.002 / . 80% <90% -0.004 / . 70% <80% -0.006 / . 60% <70% -0.008 / . 50% <60% -0.010 / . 40% <50% -0.015 / . -0.020 / <40%		
	Qnet. ar 3000Kcal / St. d 4.5 % Vdaf 25%	<3000 4.5% Vdaf>25% Na <sub>2</sub> O+k <sub>2</sub> O 2.5%			
	( / . )	(%)	%	Na <sub>2</sub> O+k <sub>2</sub> O	
		25%	3.0%	4000	2.5%

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

Qnet. ar 4000kcal St. d 3.0% Vdaf 25% 2.5%